



Certificate of Analysis
Compliance Test

Client Information:

STAT SHOTS, LLC
314 SCHOOL BOARD DRIVE
NEW IBERIA, LA 70560

Batch # 23054D8LH100MGWS
Batch Date: 2023-05-04
Extracted From: HEMP

Test Reg State: Florida

Production Facility: STAT SHOTS LLC
Production Date: 2023-05-04

Order # STA230725-050001
Order Date: 2023-07-25
Sample # AAES307

Sampling Date: 2023-07-26
Lab Batch Date: 2023-07-26
Orig. Completion Date: 2023-08-07

Initial Gross Weight: 50.305 g
Net Weight: 29.905 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg

Volume: 3 ml

Statement of Amendment: Updated Net Weight



Potency Tested



Heavy Metals Passed



Pesticides Passed



Residual Solvents Passed



Pathogenic Microbiology Passed



Microbiology (qPCR) Passed

Product Image

Delta 8/Delta 10 Potency 13 - (LCUV)
Specimen Weight: 93.120 mg

Tested
SOP13.052 (LCUV)

Potency Summary

Pieces For Panel: 5

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	2.60E-5	0.0015	2.490	0.249
CBC	1.80E-5	0.0015	<LOQ	<LOQ
CBD	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBG	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
CBN	1.40E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.1	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			<LOQ	<LOQ
Total Active THC			<LOQ	<LOQ

Total Delta 8 0.249% 7.470mg	Total Delta 10 None Detected
Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN None Detected
Other Cannabinoids 0%	Total Cannabinoids 0.249% 7.470mg

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information:

STAT SHOTS, LLC
314 SCHOOL BOARD DRIVE
NEW IBERIA, LA 70560

Batch # 23054D8LH100MGWS
Batch Date: 2023-05-04
Extracted From: HEMP

Test Reg State: Florida

Production Facility: STAT SHOTS LLC
Production Date: 2023-05-04

Order # STA230725-050001
Order Date: 2023-07-25
Sample # AAES307

Sampling Date: 2023-07-26
Lab Batch Date: 2023-07-26
Orig. Completion Date: 2023-08-07

Initial Gross Weight: 50.305 g
Net Weight: 29.905 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg

Volume: 3 ml

Total Yeast and Mold
Specimen Weight: 477.400 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology - SE (MicroArray)

Specimen Weight: 1029.100 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Salmonella	Absence in 1g	STEC E. Coli	Absence in 1g

Passed
SOP13.019 (Micro Array)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

STAT SHOTS, LLC
314 SCHOOL BOARD DRIVE
NEW IBERIA, LA 70560

Batch # 23054D8LH100MGWS
Batch Date: 2023-05-04
Extracted From: HEMP

Test Reg State: Florida

Production Facility: STAT SHOTS LLC
Production Date: 2023-05-04

Order # STA230725-050001
Order Date: 2023-07-25
Sample # AAES307

Sampling Date: 2023-07-26
Lab Batch Date: 2023-07-26
Orig. Completion Date: 2023-08-07

Initial Gross Weight: 50.305 g
Net Weight: 29.905 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg

Volume: 3 ml

H Heavy Metals - LA
Specimen Weight: 247.100 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 202.347

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Arsenic (As)	.00483	0.1	10	<LOQ	Lead (Pb)	0.0058	0.1	10	<LOQ
Cadmium (Cd)	.00064	0.1	4.1	<LOQ	Mercury (Hg)	.01176	0.1	2	<LOQ

Residual Solvents - LA (CBD)
Specimen Weight: 310.300 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	500	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	10	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	1	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	800	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	1	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	1	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information: STAT SHOTS, LLC 314 SCHOOL BOARD DRIVE NEW IBERIA, LA 70560	Batch # 23054D8LH100MGWS Batch Date: 2023-05-04 Extracted From: HEMP	Test Reg State: Florida	Production Facility: STAT SHOTS LLC Production Date: 2023-05-04
Order # STA230725-050001 Order Date: 2023-07-25 Sample # AAES307	Sampling Date: 2023-07-26 Lab Batch Date: 2023-07-26 Orig. Completion Date: 2023-08-07	Initial Gross Weight: 50.305 g Net Weight: 29.905 g Volume: 3 ml	Number of Units: 2 Net Weight per Unit: 3000.000 mg

Pesticides - LA
Specimen Weight: 615.400 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.440

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Abamectin	3.1800E-4	0.02823	0.3	<LOQ	Hexythiazox	6.1900E-5	0.03	2	<LOQ
Acephate	3.9632E-2	0.03	5	<LOQ	Imazalil	2.9500E-4	0.03	0	<LOQ
Acequinocyl	5.7646E-2	0.048	4	<LOQ	Imidacloprid	1.5300E-4	0.03	3	<LOQ
Acetamiprid	3.3800E-10	0.03	5	<LOQ	Kresoxim Methyl	1.4500E-4	0.03	1	<LOQ
Aldicarb	2.2744E-2	0.03	0	<LOQ	Malathion	1.3300E-4	0.03	5	<LOQ
Azoxystrobin	1.3247E-2	0.01	40	<LOQ	Metalaxyl	4.8600E-5	0.03	15	<LOQ
Bifenazate	2.1700E-8	0.03	5	<LOQ	Methiocarb	2.2810E-3	0.03	0	<LOQ
Bifenthrin	8.4200E-4	0.03	0.5	<LOQ	Methomyl	1.1500E-6	0.03	0.1	<LOQ
Boscalid	4.3300E-6	0.01	10	<LOQ	Mevinphos	4.4200E-5	0.03	0	<LOQ
Captan	6.1200E+0	0.03	10	<LOQ	Myclobutanil	7.0006E-1	0.03	9	<LOQ
Carbaryl	1.3800E-5	0.01	0.5	<LOQ	Naled	5.8500E-6	0.03	0.5	<LOQ
Chlorfenapyr	1.5370E+1	0.048	0.1	<LOQ	Oxamyl	1.6190E-3	0.03	0.2	<LOQ
Chlorpyrifos	9.0900E-5	0.03	100	<LOQ	Paclobutrazol	6.9300E-8	0.03	0	<LOQ
Clofentezine	3.7100E-7	0.03	0.5	<LOQ	Pentachloronitrobenzen(Quintozene)	4.3900E+0	0.03	0.2	<LOQ
Coumaphos	9.8600E-5	0.03	0	<LOQ	Permethrin	2.2089E-2	0.03	20	<LOQ
Cyfluthrin	2.8130E+1	0.03	1	<LOQ	Phosmet	9.6150E-3	0.03	0.2	<LOQ
Cypermethrin	1.1900E-6	0.03	1	<LOQ	Piperonylbutoxide	1.3400E-7	0.03	8	<LOQ
Daminozide	3.0408E-1	0.03	0	<LOQ	Prallethrin	1.6732E-1	0.03	0.4	<LOQ
Diazinon	3.9100E-10	0.03	0.2	<LOQ	Propiconazole	2.1300E-14	0.03	20	<LOQ
Dichlorvos	1.1406E+0	0.03	0	<LOQ	Propoxur	3.5081E-1	0.03	0	<LOQ
Dimethoate	2.8400E-6	0.03	0	<LOQ	Pyrethrins	6.2350E-3	0.03	1	<LOQ
Dimethomorph	1.5700E-4	0.03	20	<LOQ	Pyridaben	8.7500E-15	0.03	3	<LOQ
Ethoprophos	1.5900E-5	0.03	1.5	<LOQ	Spinetoram	2.3645E-2	0.03	3	<LOQ
Etofenprox	8.3050E-3	0.03	0	<LOQ	Spinosad	5.9903E-1	0.03	3	<LOQ
Etoxazole	8.3558E-1	0.03	1.5	<LOQ	Spiromesifen	3.2183E-1	0.03	12	<LOQ
Fenhexamid	1.0947E+0	0.03	10	<LOQ	Spirotetramat	4.2760E-2	0.03	13	<LOQ
Fenoxycarb	3.4507E-1	0.03	0	<LOQ	Spiroxamine	1.2172E+0	0.03	0	<LOQ
Fenpyroximate	4.4800E-7	0.03	2	<LOQ	Tebuconazole	1.4800E-14	0.02	2	<LOQ
Fipronil	2.8847E-2	0.03	0.1	<LOQ	Thiacloprid	1.1200E-5	0.03	0	<LOQ
Flonicamid	6.9733E-2	0.03	2	<LOQ	Thiamethoxam	2.2500E-6	0.03	4.5	<LOQ
Fludioxonil	1.3402E-2	0.03	30	<LOQ	Trifloxystrobin	2.1700E-13	0.03	30	<LOQ

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

